Claim 82 (New): The method of claim 60, wherein:

the at least one software construct manages system administration.

REMARKS/ARGUMENTS

Claims 32-70 remain in this application. Claims 1-31 have been cancelled.

Claims 32-70 have been added.

Applicant requests that the Examiner contact the Applicant prior to issuance of the next Office Action.

Detailed Action and Claim Rejections

15

20

10

5

Applicant has cancelled claims 1-31 and added claims 32-70 to define patentable subject matter more accurately and succinctly, and make the language thereof clearer.

Applicant has cancelled claims 1-31, which were the subject of the Examiner's claim rejections under 35 USC § 103, discussed under Detailed Action by the Examiner, thus, making the Examiner's rejections moot, making individual arguments by the Applicant with respect to each of the Examiner's claim rejections unnecessary and unwarranted.

REMARKS/ARGUMENTS

Claims 32-70 remain in this application. Claims 1-31 have been cancelled.

Claims 32-70 as previously submitted are replaced by these Claims 32.70.

Applicant requests that any previously filed unentered amendments not be

5 entered.

10

Applicant requests that the Examiner contact the Applicant prior to the issuance of the next Office Action.

Detailed Action and Claim Rejections

Applicant has cancelled claims 1-31 and added claims 32-70 to define patentable subject matter more accurately and succinctly, and make the language thereof clearer.

Applicant has cancelled claims 1-31, which were the subject of the Examiner's

claim rejections under 35 USC § 103, discussed under Detailed Action by the Examiner,

thus, making the Examiner's rejections moot, making individual arguments by the

15 Applicant with respect to each of the Examiner's claim rejections unnecessary and unwarranted.

Applicant has cancelled claims 32-70 as previously submitted, which were the subject of the Examiner's claim rejections under 35 USC § 103, discussed under Detailed Action by the Examiner.

20

Applicant submits claims 32-70 as amended herein. Priority Paragraph 5. The Examiner requested clarification of priority claims. This Application 09/556,439, incorporates in full the issued patent number 6,088,437. On page 1, line 7, *et seq.* of this Application, the following language appears:

5

10

15

20

"CROSS REFERENCE TO RELATED APPLICATIONS

"The present document claims the benefit of the earlier filing date of, and contains subject matter related to that disclosed in, co-pending U.S. provisional application Serial No. 60/082,730 filed April 23, 1998, having common inventorship, the entire contents of which being incorporated herein by reference." [Emphasis added.]

U.S. provisional application Serial No. 60/082,730 became the issued patent number 6,088,437. This application is entitled to priority due to the incorporation in full by reference of the previously issued patent.

Specifications

Paragraph 6 a and b. Applicant consents that it shall use only the United States Patent Number 6,088,437 and not use the patent application number 09/266,724.

Paragraph 6 c. Applicant agrees that the term "LATA" shall be construed as an acronym for "local access and transport area" relating to a geographical area designated by a telephone company, typically defined by a particular area code.

Drawings

New corrected drawings are submitted herewith.

Claim Rejections

The Examiner rejected previous Claims 32-70 as containing "subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention."

5

Applicant refers the Examiner to United States Patent Number 6,088,437, incorporated in full in this Application Number 09/556,439, and the specifications contained therein, the entire contents of which have been incorporated into this Application by reference. Claims 32-70, as amended and submitted herein, use the terminology that was previously used and approved in United States Patent Number 6,088,437. The issued patent dealt with the hardware of this invention and this application deals with the software to be used on that hardware.

REMARKS/ARGUMENTS

Claims 32-82 replace the claims that were previously submitted as Claims 32-70

15 on April 20. 2005. Claims 1-31 have been cancelled previously. Claims 32-82 have been added. Claims 32-70 as previously submitted are withdrawn, Claims 32-70 as presented herein are currently amended and Claims 71-82 have been added.

Applicant requests that any previously filed unentered amendments not be entered.

20 Currently amended drawings 1-10 replace the drawings that were previously submitted as drawings 1-10.

5

10

15

20

Applicant previously has cancelled claims 1-31 and replaced previously submitted claims 32-70 with claims 32-82 to define patentable subject matter more accurately and succinctly, and make the language thereof clearer. Examiner's Paragraphs 12-15: The Examiner's objection of Applicant's use of overly broad and non-descriptive labels has been eliminated by substituting the terminology of the issued patent. The Examiner's objection that the functional, methodological steps were not set forth has been remedied by the replacement/new drawings 1-10. Similarly, the Examiner's objection that the specification was not clear enough has been remedied by a combination of the specification in this Application and the specification of the issued patent. Applicant previously has been issued patent number 6,088,437, "Call Processing System, Method and Computer Program Product," on July 11, 2000. This Application number 09/556,439, incorporates the entire contents of the issued patent, as set forth on page 1, lines 7-11 of this Application. This Application is the software that functions with the CALL PULL BACK mechanism in the previously issued patent 6,088,437. Consequently, in the currently amended Claims 32-70 and new claims 71-82 submitted herewith, Applicant has used the terminology of the issued patent 6,088,437, with regard to the elements of the system, in order to more accurately and clearly set forth the operations of the system as set forth in this Application. Applicant also uses these terms to eliminate confusion or lack of clarity regarding the meaning of the terms, as well as to

facilitate consistency between the issued patent and this Application.

Inasmuch as the entire Amick patent 6,088,437, issued July 11, 2000, was incorporated into this Application, the specification of the issued patent is also part of the specification of this Application. This combined specification contains a written description of the invention and the manner and process of making and using it, in full, clear, concise and exact terms as to enable any person skilled in the art to which it pertains (telephony), to make and use the same and sets forth the best mode contemplated

5 by the Inventor of carrying out the invention.

Examiner's Paragraph 16:

The Examiner's objection that the term "error condition" was too broad has been met by changing the term to "absence of an error condition" to "no response from the at least one called party," in order to limit and define the condition.

10

Examiner's Paragraph 17:

The Examiner's objection that the previously submitted claims reciting "at least one object comprising at least one first object" has been met by revising the language in the claims to use the terminology of the Amick patent 6,088,437, issued July 11, 2000. Examiner's Paragraph 18:

15

20

The Examiner's objection to the use of the term "at least one second client management system" has been resolved by using the terminology of the Amick patent 6,088,437, issued July 11, 2000. Instead of using the term "client management system," the claims and drawings use the terminology of the Amick patent 6,088,437, issued July 11, 2000, referring to the system as the "virtual network call processing system." As set forth in the Amick patent 6,088,437, issued July 11, 2000, and this Application 09/556,439, it is one system used simultaneously by many clients. Examiner's Paragraph 19:

The Examiner's objection to the use of the term "work place" has been met by
eliminating that term and substituting the term "client's premise." With the virtual
network call processing system, the client's premise can change to any location at any
time and the virtual network call processing system follows the client so that his/her
telephony system structure and function is fully operational at any or all of the physical
locations of the client.

Examiner's Paragraph 20:

The Examiner's objection that Claim 45 and Claim 39 claim the same thing has been met by rewriting all of the claims.

10

5

Examiner's Paragraph 21:

The Examiner's objection to the use of the term "mailbox" without a definition has been met by that revealed in the Amick patent 6,088,437, issued July 11, 2000, wherein it is stated that callers may be forwarded to a receptor mailbox and that a mailbox may dial a telephone number and store e-mail as well as voice and fax messages.

15

Examiner's Paragraph 22:

The Examiner's objection to the use of the terminology "the at least one object manages recording" and "the at least one object manages erasing" has been noted. In the Amick patent 6,088,437, issued July 11, 2000, it is disclosed that an object is a well thought out preprogrammed and proven software construct that simplifies programming and ensures reliable operations. One of the operations is the recording and storage of email as well as voice and fax messages and another operation is the erasure of those messages. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent

5

10

cadence error."

described, in Amick Application 09/556,439.

Examiner's Paragraph 23: The Examiner's objection that the system is not described sufficiently is met by viewing the entire system in light of both this Application 09/556,439 and the Amick patent 6,088,437, issued July 11, 2000, which has been incorporated in full into this Application. Comparison of Claims 32 through 82 with the Fuller Patents Claim 32 (Currently amended): Managing communications during an error condition is primarily addressed in the Amick patent 6,088,437, issued July 11, 2000. A comparison of the fundamental differences between that disclosed in the Amick patent 6,088,437, issued July 11, 2000, and that disclosed in the Fuller patents, reveals that Fuller utilizes a precision busy/ring detector which only detects frequency and Amick utilizes both frequency and cadence detection without the need to train or tune the equipment to characterize signaling 15 attributes of signals produced by one of a plurality of central office switches, each having a different frequency and cadence signal event characteristic. The only mention of an error condition in Amick Application 09/556,439 is in the section entitled "Object/Class of Service" documentation. In OBJ/COS 511 it is stated: "This Object also comes into play when the Call Processor portion of the [[Node]] POP 20 or [[Hub]] NOCC doesn't know what else to do with the caller due to a software or ring

6,088,437, issued July 11, 2000, which were incorporated in full, and have been further

(a) The terms "Virtual Office Environment" and "Virtual Office Environment management system" have been changed to "virtual network call processing system," as set forth in the Amick patent 6,088,437, issued July 11, 2000.

None of the Fuller patents discloses preprogrammed software constructs referred to as Objects in Amick Application 09/556,439 and the Amick patent 6,088,437, 5 issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, are 10 further described, in Amick Application 09/556,439.

(b) The Amick patent 6,088,437, issued July 11, 2000, discloses a method for detecting error conditions without the need to train or tune the equipment to characterizes signaling attributes of signals produced by one of a plurality of central

15 office switches, each having a different frequency and cadence signal event characteristic; Fuller does not.

As stated by the examiner of the Amick patent 6,088,437, issued July 11, 2000, under allowable subject matter the following is an examiner's statement of reasons for allowance: Morganstein et al. (U.S. Patent No. 4,809,321) teaches a call completion equipment for use with a switching system for assisting callers to complete telephone calls thereto where in a primary destination telephone set is busy or does not answer. The

20

equipment of Morganstein has a tone learn program capability (column 6, lines 24-27), the tone learning capability is required so that the call completion equipment may operate

located. However, with respect to claims 1-21, prior art of record fails to teach, or render obvious, alone or in combination, a virtual network call processing system and a method for processing calls in the virtual network call processing system comprising a central office switch characterization mechanism that characterizes signaling attributes of signals produced by one of a plurality of central office switches, each having a different frequency and cadence signal event characteristic. (c) Same as (b). Claim 33 (Currently amended): 10 None of the Fuller patents discloses preprogrammed software constructs referred to as Objects in the Amick Application 09/556,439 and the Amick patent 6,088,437, issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are further described, in Amick Application 09/556,439. The term "menu" is like the term "Objects." Fuller uses menus for making simple menu choices. Amick uses menus as well as schedules, tables and plug in applications to

with the particular switch that services a particular geographic region in which a PBX is

20

15

5

create one of a kind multi level structural applications like that disclosed in the Object-Use Example in the body of Amick, Application 09/556,439. Fuller uses the term "objects" one time and he uses the term objects as in "objectives": "The illustrative

examples which follow are intended only to clarify some of the concepts, features, and objects of the invention, and do not define the scope of the invention."

Claim 34 (Currently amended):

Managing communications during an error condition is primarily addressed in the Amick patent 6,088,437, issued July 11, 2000. The fundamental differences between that disclosed in the Amick patent 6,088,437, issued July 11, 2000, and that disclosed in the Fuller patents are as follows: Fuller utilizes a precision busy/ring detector which only detects frequency and Amick utilizes both frequency and cadence detection without the need to train or tune the equipment to characterize signaling attributes of signals produced by one of a plurality of central office switches, each having a different

frequency and cadence signal event characteristic.

The only mention of an error condition that actually pertains to an error in Amick Application 09/556,439 is in the section entitled "Object/Class of Service"

documentation. In OBJ/COS 511 it is stated: "This Object also comes into play when

15 <u>the Call Processor portion of the [[Node]] POP or [[Hub]] NOCC doesn't know what else</u> to do with the caller due to a software or ring cadence error."

Claim 35 (Currently amended):

Both Fuller and Amick use routing options for messaging and connecting to PSTN network addresses. However, in addition, Amick uses routing options to move

20 <u>from one Object or application to another Object or application and to move the caller to</u> <u>different pieces of equipment such as an IVR, (Integrated Voice Response Unit).</u> Claim 36 & 37 (Currently amended):

10

<u>Theses claims have been changed to utilize the same terminology of "virtual</u> network call processing system" as utilized in the Amick patent 6,088,437, issued July 11, 2000.

Claim 38 (Currently amended):

5

10

As stated previously, none of the Fuller patents uses Objects or preprogrammed Software Constructs and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are

further described, in Amick Application 09/556,439.

Claim 39 (Currently amended):

After issuing the client's trunk forwarding configuration instructions to the

client's telecommunications carrier effecting traffic at the client's premise to route

15 communications between the at least one calling party and the at least one called party virtual network call processing system application, the carrier's programming then determines whether the all forward and or no answer forwarding effecting the traffic at the client's premise exists. This is not mentioned in Fuller.

Claim 40 (Currently amended):

 20
 Language of claim 40 has been changed to the language utilized in the Amick

 patent 6,088,437, issued July 11, 2000.

Claim 41 (Currently amended):

	This is utilized by both Fuller and Amick. However, as disclosed in the Amick
	patent 6,088,437, issued July 11, 2000, Amick utilizes cadence detection without the
	drawback of having to tune or train the equipment hosting the Virtual Environment
	Applications so that it characterizes signaling attributes of signals produced by one of a
5	plurality of central office switches, each having a different frequency and cadence signal
	event characteristic. Fuller does not do that.
	Claim 42 (Currently amended):
	Language of claim 40 has been changed to that utilized in the Amick patent
	6,088,437, issued July 11, 2000.
10	Claim 43 (Currently amended):
	Language of claim 40 has been changed to that utilized in the Amick patent
	6,088,437, issued July 11, 2000. As previously stated, Amick Application 09/556,439
	does not use the term "Virtual Office Management System." The term "Virtual
	Environment Applications" is used instead. Amick utilizes cadence detection without the
15	drawback of having to tune or train the equipment hosting the Virtual Environment
	Applications so that it characterizes signaling attributes of signals produced by one of a
	plurality of central office switches, each having a different frequency and cadence signal
	event characteristic. Fuller uses the term "menu" for making simple menu choices.
	Amick uses it as well as "schedules," "tables" and "plug in applications" to create one of
20	a kind multi level structural applications that like disclosed in the Object-Use Example of
	the body of Amick Application 09/556,439.
	$(1_{1}, 1_{1}, 1_{2}, 1_{3}, 1_{5},$

Claim 44, 45 & 46 (Currently amended):

	None of the Fuller patents discloses preprogrammed software constructs referred
	to as Objects as in Amick Application 09/556,439, and if they did, by the very virtue of
	the fact that Amick is creating one of a kind applications and utilizing frequency and
	cadence detection the Objects would not be the same. These customer specific
5	applications are created, manipulated and destroyed utilizing preprogrammed
	Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July
	11, 2000, which were incorporated in full, and are further described, in Amick
	<u>Application 09/556,439.</u>
	Claim 47 (Currently amended):
10	Note of the Fuller patents mentions the term "mailbox."
	Claim 48 & 49 (Currently amended):
	None of the Fuller patents discloses preprogrammed software constructs referred
	to as Objects as in Amick Application 09/556,439, and if they did, by the very virtue of
	the fact that Amick is creating one of a kind applications and utilizing frequency and
15	cadence detection the Objects would not be the same. These customer specific
	applications are created, manipulated and destroyed utilizing preprogrammed
	Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July
	11, 2000, which were incorporated in full, and are further described, in Amick
	Application 09/556,439.
20	None of the Fuller patents mentions the word "fax" or a "fax on demand"
	application.

Claims 50, 51, 52, 53, 54, 55, 56, 57, 58, 59 (Currently amended):

None of the Fuller patents discloses preprogrammed Objects/Software Constructs referred to as Objects in Amick Application 09/556,439 and the Amick patent 6,088,437, issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are further described, in Amick Application 09/556,439.

Claim 60 (Currently amended):

10

15

5

Managing communications during an error condition is primarily addressed in the Amick patent 6,088,437, issued July 11, 2000. The fundamental differences between that disclosed in the Amick patent 6,088,437, issued July 11, 2000, and that disclosed in the Fuller patents are: Fuller utilizes a precision busy/ring detector which only detects frequency and Amick utilizes both frequency and cadence detection without the need to train or tune the equipment to characterizes signaling attributes of signals produced by one of a plurality of central office switches, each having a different frequency and cadence signal event characteristic.

The only mention of an error condition that actually pertains to an error in Amick Application 09/556,439 is in the section entitled "Object/Class of Service documentation." In OBJ/COS 511 it is stated: "This Object also comes into play when the Call Processor portion of the [[Node]] POP or [[Hub]] NOCC doesn't know what else

to do with the caller due to a software or ring cadence error."

5

20

(a) The language of claim 60 has been changed to that utilized in the Amick patent 6,088,437, issued July 11, 2000. None of the Fuller patents discloses preprogrammed Objects/Software Constructs referred to as Objects as in the Amick Application 09/556,439 and in the Amick patent 6,088,437, issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are further

10 described, in Amick Application 09/556,439.

<u>The terms "Virtual Office Environment" and "Virtual Office Environment</u> <u>management system" have been changed to "Virtual Network Call Processing System,"</u> <u>as set forth in the Amick patent 6,088,437, issued July 11, 2000.</u>

 (b) Fuller does not address the issuing of forwarding configuration
 15 instructions to telecommunications carriers instructing them to utilize all forward and or no answer forwarding effecting traffic at a client's premise to route communications
 between the calling party and the called party application;

(c) Same as (b).

Claim 61 (Currently amended):

None of the Fuller patents discloses preprogrammed Objects/Software Constructs referred to as Objects in Amick Application 09/556,439 and the Amick patent 6,088,437, issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects

would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are further described, in Amick Application 09/556,439. The functionality of these

5 <u>Objects/Software Constructs is disclosed in the specific features and functionality of each</u> object in drawings 11-64.

Claim 62 (Currently amended):

Managing communications during a called party no error condition is primarily addressed in the Amick patent 6,088,437, issued July 11, 2000. The fundamental differences between that disclosed in the Amick patent 6,088,437, issued July 11, 2000, and that disclosed in the Fuller patents are: Fuller utilizes a precision busy/ring detector which only detects frequency and Amick utilizes both frequency and cadence detection without the need to train or tune the equipment to characterizes signaling attributes of signals produced by one of a plurality of central office switches, each having a different frequency and cadence signal event characteristic.

<u>Claims 63, 64, 65, 66, 67, 68, 69, 70, (Currently amended): 71, 72, 73, 74, 75, 76,</u> 77, 78, 79, 80, 81 & 82 (New)

None of the Fuller patents discloses preprogrammed Objects/Software Constructs referred to as Objects in Amick Application 09/556,439 and the Amick patent 6,088,437, issued July 11, 2000, and if they did, by the very virtue of the fact that Amick is creating one of a kind applications and utilizing frequency and cadence detection the Objects would not be the same. These customer specific applications are created, manipulated and destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the

10

15

	Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are
	further described, in Amick Application 09/556,439.
	Comparison of Claims 32 through 82 with the Sand, Shaffer and Bjomberg
	Patents
5	(a) Sand document number 5,459,780
	In the abstract, Sand discloses an arrangement for providing Automatic
	Call Distribution (ACD) service from a mixture of local and remote agents in which the
	remote agents are connected via a voice connection to the home switch of the ACD and
10	voice data connection to a Home Agent Server.
	Amick Application 09/556,439 discloses systems and methods for the
	rapid and accurate creation of customer specific applications that may mirror part or all of
	a client's physical communications structure. These are two totally different endeavors.
	In Sand document number 5,459,780, a connection is established between
15	the home switch of the ACD and voice data connection to a Home Agent Server and the
	statement is made: Call set-up time is reduced by establishing longer term connections
	between the ACD and the remote server and using these connections for a plurality of
	calls; such connections are established or disconnected when the traffic level suggests the
	desirability of having more or fewer remote servers.
20	Unlike Sand, Amick Application 09/556,439 discloses systems and
	methods for the creation of applications that utilize the CALL PULL-BACK technology
	as disclosed in the Amick patent 6,088,437, issued July 11, 2000, and blind transfers to
	transfer calling parties to called parties. In the event of no answer/error conditions,

callers are offered options based on the design of the customer specific application.

	These customer specific applications are created, manipulated and destroyed utilizing
	preprogrammed Objects/Software Constructs first disclosed in the Amick patent
	6,088,437, issued July 11, 2000, which were incorporated in full, and are further
	described, in Amick Application 09/556,439.
5	(b) Shaffer document number 5,905,776
	Shaffer document number 5,905,776 discloses the use of a system and
	method of providing site-to-site compatibility of telecommunications stations which
	allow users to transparently relocate among a number of different stations, while the
	apparent locations of the users remain fixed as well as the use of station-based
10	coordinator modules to provide automated routing to the station at which the particular
	individual is located, while leaving the apparent location of the user fixed at a designated
	station of the PBX. In the preferred embodiment it is stated that the coordinator modules
	may be located on line cards of the PBX.
	Amick Application 09/556,439 discloses systems and methods for the
15	creation of applications that utilize CALL PULL-BACK technology as disclosed in the
	Amick patent 6,088,437, issued July 11, 2000, and blind transfers to transfer calling
	parties to called parties. In the event of no answer/error conditions, callers are offered
	options based on the design of the customer specific application. These customer specific
	applications are created, manipulated and destroyed utilizing preprogrammed
20	Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July
	11, 2000, which were incorporated in full, and are further described, in Amick
	Application 09/556,439.

Bjomberg et. al. Document Number 6,647,111 <u>(c)</u>

Bjomberg et. al. document number 6,647,111 dated November 11, 2003, discloses the use of individual service-independent building blocks (SIBBs) that allow the creation of customer applications with branching available.

 The Amick patent 6,088,437, issued July 11, 2000, over three years

 5
 earlier, discloses that the signaling attributes and customer-specific information are

 controlled by Objects, which are well thought out preprogrammed and proven

 Objects/Software Constructs that simplify programming and ensure reliable operations.

 The calling party is kept on soft hold while the intended recipient of the call is attempted

 to be contacted at the different locations. If the CALL PULLBACK mechanism

10 determines that the signals provided by the local telephone equipment, after being
 normalized, indicate the intended recipient does not pick up the call, the CALL
 PULLBACK mechanism attempts to reach the intended recipient at another one of the
 numbers, all the while the calling party is kept on soft hold. In this way, the global
 Virtual Network Call Processor is capable of servicing not only individuals and
 companies serviced by a single PBX with a call process, but also for any number of other
 users not serviced by the PBX.

<u>These customer specific applications are created, manipulated and</u> <u>destroyed utilizing preprogrammed Objects/Software Constructs first disclosed in the</u> <u>Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and are</u>

20 <u>further described, in Amick Application 09/556,439.</u>

Examiner's Paragraph 32:

At the time of the issuance of the Amick patent number 6,088,437, issued July 11, 2000, which is incorporated in full in Amick Application 09/556,439, the examiner found that "prior art of record fails to teach, or render obvious, alone or in combination, a virtual network call processing system and a method for processing calls in the virtual network call processing system comprising a central office switch characterization mechanism that characterizes signaling attributes of signals produced by one of a plurality of central office switches, each having a different frequency and cadence signal

event characteristic."

Amick Application 09/556,439, incorporates in full the Amick patent number 6,088,437, issued July 11, 2000, because it requires the invention disclosed therein in order to function and cannot function on its own, independently. At the time of filing the issued patent, Amick hired a full time employee to research whether there was prior art of record or other inventions that utilized the concept of creating applications that mirrored a customer's communications network. That employee spent over a year performing that function. There is no question that there were no similar inventions or prior art of record that performed the functions of Amick Application 09/556,439 at the time said

application was filed. There were businesses that resold long distance dressed up in
 voice mail. After the filing of Amick Application 09/556,439, simple menu structures
 and the dialing of pagers and blind transfers were used. No one utilized CALL PULL
 BACK functionality like that disclosed in the issued patent. Until Amick created the first
 Objects it wasn't cost effective to create complex custom one of a kind applications for
 each customer, which is why there was no prior art in existence.

<u>The Objects/Software Constructs would not function independently of the</u> previous invention of CALL PULL BACK, which is the subject matter of Amick patent 6,088,437, issued July 11, 2000, because the information that was needed to make the

5

Objects/Software Constructs work was available only to carriers in the SS7 signaling network and was not available to Amick or his customers. The CALL PULL BACK system was used as a substitute for the SS7 signaling network in order to create customer specific applications under the control of Objects/Software Constructs first disclosed in the Amick patent 6,088,437, issued July 11, 2000, which were incorporated in full, and

further described, in Amick Application 09/556,439.